

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

**High-performance oil for Haldex coupling  
Article number: 101171**

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### 1.2.1 Relevant uses

Lubricant

#### 1.2.2 Uses advised against

None known.

### 1.3 Details of the supplier of the safety data sheet

**Company** Ferdinand Bilstein GmbH + Co. KG  
Wilhelmstr. 47  
58256 Ennepetal / GERMANY  
Phone +49 2333 911-0  
Fax +49 2333 911-444  
Homepage [www.febi.com](http://www.febi.com)  
E-mail [info@febi.com](mailto:info@febi.com)

#### Address enquiries to

**Technical information** [info@febi.com](mailto:info@febi.com)

**Safety Data Sheet** [info@febi.com](mailto:info@febi.com)

### 1.4 Emergency telephone number

**Advisory body** +49 (0)89-19240 (24h) (English)

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture [REGULATION (GB) CLP]

No classification.

### 2.2 Label elements

The product is required to be labelled in accordance with regulation CLP.

**Hazard pictograms** none

**Signal word** none

**Hazard statements** none

**Precautionary statements** none

**Special labelling** EUH210 Safety data sheet available on request.

### 2.3 Other hazards

**Environmental hazards** Does not contain any PBT or vPvB substances.

**Other hazards** No particular hazards known.

## SECTION 3: Composition / Information on ingredients

### 3.1 Substances

not applicable

### 3.2 Mixtures

The product is a mixture.

Range [%]	Substance
50 - < 100	Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based
	CAS: 72623-87-1, EINECS/ELINCS: 276-738-4, EU-INDEX: 649-483-00-5, Reg-No.: 01-2119474889-13-XXXX
	GHS/CLP: Asp. Tox. 1: H304
1 - < 2.5	Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts
	CAS: 85940-28-9, EINECS/ELINCS: 288-917-4, Reg-No.: 01-2119521201-61
	GHS/CLP: Eye Dam. 1: H318 - Skin Irrit. 2: H315 - Aquatic Chronic 2: H411
	SCL [%]: >15 - <20: Eye Irrit. 2: H319, >= 15: Skin Irrit. 2: H315, >= 20: Eye Dam. 1: H318
0.1 - < 1.0	Calciumsulfonate, petroleum
	CAS: 61789-86-4, EINECS/ELINCS: 263-093-9
	GHS/CLP: Skin Sens. 1B: H317
	SCL [%]: >= 10: Skin Sens. 1B: H317

**Comment on component parts** Contains less than 3% w/w DMSO-extract (only for mineral oils)  
Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%.  
For full text of H-statements: see SECTION 16.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

<b>General information</b>	Change soaked clothing.
<b>Inhalation</b>	Ensure supply of fresh air. In the event of symptoms seek medical treatment.
<b>Skin contact</b>	In case of contact with skin wash off immediately with soap and water. Consult a doctor if skin irritation persists.
<b>Eye contact</b>	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
<b>Ingestion</b>	Do not induce vomiting. Consult a doctor immediately. Rinse out mouth and give plenty of water to drink.

### 4.2 Most important symptoms and effects, both acute and delayed

No information available.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.  
Forward this sheet to your doctor.

## SECTION 5: Fire-fighting measures

### 5.1 Extinguishing media

<b>Suitable extinguishing media</b>	Foam, dry powder, water spray jet, carbon dioxide.
<b>Extinguishing media that must not be used</b>	Full water jet.

### 5.2 Special hazards arising from the substance or mixture

Risk of formation of toxic pyrolysis products.  
Nitrogen oxides (NOx).

### 5.3 Advice for firefighters

Do not inhale explosion and/or combustion gases.  
Use self-contained breathing apparatus.

Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.

Cool containers at risk with water spray jet.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

Some risk of slipping due to spillage of product.  
Forms slippery surfaces with water.

### 6.2 Environmental precautions

Prevent spread over a wide area (e.g. by containment or oil barriers).  
Do not discharge into the drains/surface waters/groundwater.

### 6.3 Methods and material for containment and cleaning up

Take up with absorbent material (e.g. oil binder).  
Dispose of absorbed material in accordance within the regulations.

### 6.4 Reference to other sections

See SECTION 8+13

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

No special measures necessary if used correctly.  
Use only in well-ventilated areas.  
Use solvent-resistant equipment.

The product is combustible.

Do not eat, drink or smoke when using this product.  
After worktime and before work breaks the affected skin areas must be thoroughly cleaned.  
Use barrier skin cream.

Contaminated work clothing should not be allowed out of the workplace.  
Take off contaminated clothing and wash before reuse.  
Cloths contaminated with product should not be kept in trouser pockets.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep only in original container.  
Prevent penetration into the ground.

Do not store together with oxidizing agents.

Keep container in a well-ventilated place.  
Keep container tightly closed.

### 7.3 Specific end use(s)

See product use, SECTION 1.2



Ferdinand Bilstein GmbH + Co. KG

Date printed 13.03.2023, Revision 10.03.2023

Version 6.0. Supersedes version: 5.0

Page 4 / 12

**SECTION 8: Exposure controls / personal protection**

**8.1 Control parameters**

**Ingredients with occupational exposure limits to be monitored (GB)**

not relevant

**DNEL**

Substance
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts, CAS: 85940-28-9
Industrial, dermal, Long-term - systemic effects, 9.6 mg/kg bw/d
Industrial, inhalative, Long-term - systemic effects, 6.6 mg/m <sup>3</sup>
general population, oral, Long-term - systemic effects, 0.19 mg/kg bw/d
general population, dermal, Long-term - systemic effects, 4.8 mg/kg bw/d
general population, inhalative, Long-term - systemic effects, 1.67 mg/m <sup>3</sup>
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
Industrial, dermal, Long-term - systemic effects, 970 µg/kg bw/day
Industrial, inhalative, Long-term - local effects, 5.58 mg/m <sup>3</sup>
Industrial, inhalative, Long-term - systemic effects, 2.73 mg/m <sup>3</sup>
general population, inhalative, Long-term - systemic effects, 740 µg/kg bw/day
general population, inhalative, Long-term - local effects, 1.19 mg/m <sup>3</sup>
Calciumsulfonate, petroleum, CAS: 61789-86-4
Industrial, dermal, Long-term - systemic effects, 3.33 mg/kg bw/d
Industrial, inhalative, Long-term - systemic effects, 11.75 mg/m <sup>3</sup>
general population, inhalative, Long-term - systemic effects, 2.9 mg/m <sup>3</sup>
general population, oral, Long-term - systemic effects, 0.8333 mg/kg bw/d
general population, dermal, Long-term - systemic effects, 1.667 mg/kg bw/d

**PNEC**

Substance
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts, CAS: 85940-28-9
soil, 15.7 mg/kg dw
sediment (seawater), 1.93 mg/kg dw
sediment (freshwater), 19.3 mg/kg dw
sewage treatment plants (STP), 100 mg/l (AF=100)
seawater, 0.0002 mg/l (AF=10000)
freshwater, 0.002 mg/l (AF=1000)
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
oral (food), 9.33 mg/kg food
Calciumsulfonate, petroleum, CAS: 61789-86-4
oral (food), 16 667 mg/kg food
soil, 271 000 000 mg/kg dw
sediment (seawater), 226 000 000 mg/kg dw
sediment (freshwater), 226 000 000 mg/kg dw
sewage treatment plants (STP), 1000 mg/l (AF=10)
seawater, 1 mg/l (AF=10000)
freshwater, 1 mg/l (AF=1000)

## 8.2 Exposure controls

<b>Additional advice on system design</b>	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances. General exposure limit for oil mist should be noted.
<b>Eye protection</b>	Safety glasses. (EN 166:2001)
<b>Hand protection</b>	The details concerned are recommendations. Please contact the glove supplier for further information. > 0.4 mm: Nitrile rubber, >120 min (EN 374-1/-2/-3).
<b>Skin protection</b>	Light protective clothing.
<b>Other</b>	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Do not inhale gases/vapours/aerosols. Avoid contact with eyes and skin.
<b>Respiratory protection</b>	Breathing apparatus in the event of aerosol or mist formation. Short term: filter apparatus, combination filter A-P1. (DIN EN 14387)
<b>Thermal hazards</b>	No information available.
<b>Delimitation and monitoring of the environmental exposition</b>	Comply with applicable environmental regulations limiting discharge to air, water and soil.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

<b>Physical state</b>	liquid
<b>Form</b>	liquid
<b>Color</b>	light brown
<b>Odor</b>	characteristic
<b>Odour threshold</b>	not determined
<b>pH-value</b>	not applicable
<b>pH-value [1%]</b>	not applicable
<b>Boiling point [°C]</b>	not applicable
<b>Flash point [°C]</b>	208 °C/ 406°F
<b>Flammability (solid, gas) [°C]</b>	Not explosive.
<b>Lower explosion limit</b>	not self-igniting
<b>Upper explosion limit</b>	not applicable
<b>Oxidising properties</b>	no
<b>Vapour pressure/gas pressure [kPa]</b>	not determined
<b>Density [g/cm³]</b>	0.85 (DIN 51757) (15 °C / 59,0 °F)
<b>Relative density</b>	not determined
<b>Bulk density [kg/m³]</b>	not applicable
<b>Solubility in water</b>	immiscible
<b>Solubility other solvents</b>	No information available.
<b>Partition coefficient [n-octanol/water]</b>	not determined
<b>Kinematic viscosity</b>	29.94 mm²/s 40°C [104°F] (DIN 51562)
<b>Relative vapour density</b>	not determined
<b>Evaporation speed</b>	not determined
<b>Melting point [°C]</b>	not determined
<b>Auto-ignition temperature [°C]</b>	not applicable
<b>Decomposition temperature [°C]</b>	not determined
<b>Particle characteristics</b>	No information available.

## 9.2 Other information

No information available.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

See SECTION 10.3.

### 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

### 10.3 Possibility of hazardous reactions

Reactions with strong oxidizing agents.  
Reactions with strong alkalis.  
Reactions with strong acids.

### 10.4 Conditions to avoid

Strong heating.

### 10.5 Incompatible materials

Strong oxidizing agent.  
See SECTION 10.3.

### 10.6 Hazardous decomposition products

No hazardous decomposition products known.

**SECTION 11: Toxicological information**

**11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Acute oral toxicity**

Product
oral, Based on the available information, the classification criteria are not fulfilled.
Substance
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts, CAS: 85940-28-9
LD50, oral, Rat, 3080 mg/kg bw
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
LD50, oral, Rat, 5000 mg/kg bw
Calciumsulfonate, petroleum, CAS: 61789-86-4
LD50, oral, > 5000 mg/kg bw

**Acute dermal toxicity**

Product
dermal, Based on the available information, the classification criteria are not fulfilled.
Substance
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts, CAS: 85940-28-9
LD50, dermal, Rabbit, > 20 000 mg/kg bw
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
LD50, dermal, Rabbit, 2000 - 5000 mg/kg bw
Calciumsulfonate, petroleum, CAS: 61789-86-4
dermal, > 10% Skin. Sen. 1B - H317

**Acute inhalational toxicity**

Product
inhalative, Based on the available information, the classification criteria are not fulfilled.
Substance
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts, CAS: 85940-28-9
LC50, inhalation (vapour), Rat, > 2.3 mg/L/4h
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
LC50, inhalative, Rat, 2.18 - 5.53 mg/L air, 4h

**Serious eye damage/irritation**

Toxicological data of complete product are not available.  
 Non-irritant.  
 No classification due to substance-specific concentration limits.

**Skin corrosion/irritation**

Based on the available information, the classification criteria are not fulfilled.

**Respiratory or skin sensitisation**

Toxicological data of complete product are not available.  
 No classification due to substance-specific concentration limits.

**Specific target organ toxicity — single exposure**

Based on the available information, the classification criteria are not fulfilled.

**Specific target organ toxicity — repeated exposure**

Based on the available information, the classification criteria are not fulfilled.

Substance
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
NOAEL, dermal, Rat, 30 - 2000 mg/kg bw/day

NOAEC, inhalative, Rat, 980 mg/m <sup>3</sup> air
LOAEL, oral, Rat, 125 mg/kg bw/day

<b>Mutagenicity</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Reproduction toxicity</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Carcinogenicity</b>	Based on the available information, the classification criteria are not fulfilled.
<b>Aspiration hazard</b>	Based on the available information, the classification criteria are not fulfilled.
<b>General remarks</b>	

Toxicological data of complete product are not available.  
The toxicity data listed pertaining to the ingredients are intended for those working in the medicinal professions, experts for occupational health and safety and toxicologists.

### 11.2 Information on other hazards

<b>Endocrine disrupting properties</b>	The mixture contains the following substances with endocrine disrupting potential.: Branched alkyl phenol
<b>Other information</b>	none

## SECTION 12: Ecological information

### 12.1 Toxicity

Product
Based on the available information, the classification criteria are not fulfilled.
Substance
Phosphorodithioic acid, mixed O,O-bis(2-ethylhexyl and iso-Bu and iso-Pr) esters, zinc salts, CAS: 85940-28-9
LL50, (96h), Oncorhynchus mykiss, 4.5 mg/l
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based, CAS: 72623-87-1
NOELR, (14d), fish, 1 g/L
LL50, (4d), Invertebrates, 10 g/L
LL50, (4d), fish, 100 mg/L
Calciumsulfonate, petroleum, CAS: 61789-86-4
LL50, (96h), fish, > 10 000 mg/l

### 12.2 Persistence and degradability

<b>Behaviour in environment compartments</b>	not determined
<b>Behaviour in sewage plant</b>	not determined
<b>Biological degradability</b>	not determined

### 12.3 Bioaccumulative potential

No information available.

### 12.4 Mobility in soil

No information available.

### 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

### 12.6 Endocrine disrupting properties

The mixture contains the following substances with endocrine disrupting potential.: Branched alkyl phenol



### 12.7 Other adverse effects

Ecological data of complete product are not available.  
Do not discharge product unmonitored into the environment or into the drainage.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

#### Product

In according to RoHS!  
Disposal in an incineration plant in accordance with the regulations of the local authorities.

**Waste no. (recommended)** 130208\*

#### Contaminated packaging

Uncontaminated packaging may be taken for recycling.  
Packaging that cannot be cleaned should be disposed of as for product.

**Waste no. (recommended)** 150110\* packaging containing residues of or contaminated by hazardous substances

## SECTION 14: Transport information

### 14.1 UN number or ID number

**Transport by land according to ADR/RID** not applicable

**Inland navigation (ADN)** not applicable

**Marine transport in accordance with IMDG** not applicable

**Air transport in accordance with IATA** not applicable

### 14.2 UN proper shipping name

**Transport by land according to ADR/RID** NO DANGEROUS GOODS

**Inland navigation (ADN)** NO DANGEROUS GOODS

**Marine transport in accordance with IMDG** NOT CLASSIFIED AS "DANGEROUS GOODS"

**Air transport in accordance with IATA** NOT CLASSIFIED AS "DANGEROUS GOODS"

Ferdinand Bilstein GmbH + Co. KG

Date printed 13.03.2023, Revision 10.03.2023

Version 6.0. Supersedes version: 5.0 Page 10 / 12

#### 14.3 Transport hazard class(es)

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

#### 14.4 Packing group

Transport by land according to ADR/RID not applicable

Inland navigation (ADN) not applicable

Marine transport in accordance with IMDG not applicable

Air transport in accordance with IATA not applicable

#### 14.5 Environmental hazards

Transport by land according to ADR/RID no

Inland navigation (ADN) no

Marine transport in accordance with IMDG no

Air transport in accordance with IATA no

#### 14.6 Special precautions for user

Relevant information under SECTION 6 to 8.

#### 14.7 Maritime transport in bulk according to IMO instruments

not applicable

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**EEC-REGULATIONS** 2008/98/EC 2000/532/EC; 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014

**TRANSPORT-REGULATIONS** ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2023)

**NATIONAL REGULATIONS (GB):** EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK REACH; GB CLP.

- Observe employment restrictions for people not applicable

- VOC (2010/75/CE) not relevant

## 15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information

### 16.1 Hazard statements (SECTION 3)

H317 May cause an allergic skin reaction.  
 H411 Toxic to aquatic life with long lasting effects.  
 H315 Causes skin irritation.  
 H318 Causes serious eye damage.  
 H304 May be fatal if swallowed and enters airways.

### 16.2 Abbreviations and acronyms:

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route  
 RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses  
 ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure  
 ATE = acute toxicity estimate  
 CAS = Chemical Abstracts Service  
 CLP = Classification, Labelling and Packaging  
 DMEL = Derived Minimum Effect Level  
 DNEL = Derived No Effect Level  
 EC50 = Median effective concentration  
 ECB = European Chemicals Bureau  
 EEC = European Economic Community  
 EINECS = European Inventory of Existing Commercial Chemical Substances  
 EL50 = Median effective loading  
 ELINCS = European List of Notified Chemical Substances  
 EmS = Emergency Schedules  
 GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
 IATA = International Air Transport Association  
 IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk  
 IC50 = Inhibition concentration, 50%  
 IMDG = International Maritime Code for Dangerous Goods  
 IUCLID = International Uniform Chemical Information Database  
 IVIS = In vitro irritation score  
 LC50 = Lethal concentration, 50%  
 LD50 = Median lethal dose  
 LC0 = lethal concentration, 0%  
 LOAEL = lowest-observed-adverse-effect level  
 LL50 = Median lethal loading  
 LQ = Limited Quantities  
 MARPOL = International Convention for the Prevention of Marine Pollution from Ships  
 NOAEL = No Observed Adverse Effect Level  
 NOEC = No Observed Effect Concentration  
 PBT = Persistent, Bioaccumulative and Toxic substance  
 PNEC = Predicted No-Effect Concentration  
 REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals  
 STP = Sewage Treatment Plant  
 TLV@/TWA = Threshold limit value – time-weighted average  
 TLV@STEL = Threshold limit value – short-time exposure limit  
 VOC = Volatile Organic Compounds  
 vPvB = very Persistent and very Bioaccumulative

### 16.3 Other information

#### Classification procedure

#### Modified position

SECTION 11 been added: The mixture contains the following substances with endocrine disrupting potential.: [x]

SECTION 12 been added: The mixture contains the following substances with endocrine disrupting potential.: [x]

