Date printed 08.02.2023, Revision 08.02.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

SWAG®

Version 13.0. Supersedes version: 12.0 Page 1 / 11

1.1	Product identifier	
		grease Article number: 99 83 0001
1.2	Relevant identified uses of the se	ubstance or mixture and uses advised against
1.2.1	Relevant uses	
		Lubricant
1.2.2	2 Uses advised against	
		None known.
4.2	Details of the supplier of the soft	
1.3	Details of the supplier of the safe	
	Company	SWAG Autoteile GmbH Am Kiesberg 4-6
		42117 Wuppertal / GERMANY
		Phone +49 (0)202 26454-0 Fax +49 (0)202 26454-5000
		Homepage www.swag.de
		E-mail info@swag.de
	Address enquiries to	
	Technical information	info@swag.de
	Safety Data Sheet	info@swag.de
1.4	Emergency telephone number	
	Advisory body	+49 (0)89-19240 (24h) (English)
SEC	TION 2: Hazards identification	
0.4	Classification of the substance	
2.1	Classification of the substance of	or mixture [REGULATION (GB) CLP]
		No classification.
2.2	Label elements	
		The product is required to be labelled in accordance with regulation CLP.
	Hazard pictograms	none
	Signal word	none
	Hazard statements	none
	Precautionary statements	none
	Special labelling	EUH210 Safety data sheet available on request.
		Contains: Zinc naphthenate. EUH208 May produce an allergic reaction.
2.3	Other hazards	
	Other hazards	No particular hazards known.
SEC	TION 3: Composition / Information	-
JEC		
3.1	Substances	

not applicable

Date printed 08.02.2023, Revision 08.02.2023



Version 13.0. Supersedes version: 12.0 Page 2 / 11

### 3.2 Mixtures

Range 0.1 - <		
0.1	1 Zinc n	naphthenate
		84418-50-8, EINECS/ELINCS: 282-762-6, Reg-No.: 01-2119988500-34-XXXX
		CLP: Skin Sens. 1: H317 - Aquatic Chronic 3: H412
Comr	nent on component	<b>t parts</b> Substances of Very High Concern - SVHC: substances are not contained or are below 0.1%. For full text of H-statements: see SECTION 16.
SECTION 4	4: First aid measເ	ures
.1 Desc	ription of first aid	d measures
Gener	al information	Take off contaminated clothing and wash before reuse.
Inhala	tion	Ensure supply of fresh air. In the event of symptoms seek medical treatment.
Skin o	contact	When in contact with the skin, clean with soap and water. Consult a doctor if skin irritation persists.
Eye c	ontact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Inges	tion	Seek medical advice immediately. Do not induce vomiting.
1.2 Most	important sympt	toms and effects, both acute and delayed
		No information available.
4.3 Indic	ation of any imm	nediate medical attention and special treatment needed
		Treat symptomatically. Forward this sheet to your doctor.
SECTION !	5: Fire-fighting m	neasures
5.1 Extin	guishing media	
Suital	ole extinguishing m	nedia Foam, dry powder, water spray jet, carbon dioxide
Exting be us	guishing media that ed	at must not Full water jet
.2 Spec	ial hazards arisin	ng from the substance or mixture
		Risk of formation of toxic pyrolysis products. Carbon monoxide (CO) Sulphur oxides (SOx). Nitrogen oxides (NOx).
5.3 Advid	e for firefighters	3
		Use self-contained breathing apparatus.
		Fire residues and contaminated firefighting water must be disposed of in accordance within the local regulations.
SECTION	6: Accidental rele	ease measures
	onal precautions,	s, protective equipment and emergency procedures
6.1 Perso		
6.1 Perso		High risk of slipping due to leakage/spillage of product. Forms slippery surfaces with water.




ge 3 / 11

421	17 Wuppertal	
Date	printed 08.02.2023, Revision 08.02.2023	Version 13.0. Supersedes version: 12.0 Page
6.3	Methods and material for contain	
		Take up mechanically. Dispose of absorbed material in accordance within the regulations.
6.4	Reference to other sections	
		See SECTION 8+13
SEC	TION 7: Handling and storage	
7.1	Precautions for safe handling	
		No special measures necessary if used correctly.
		Do not eat, drink or smoke when using this product. Use barrier skin cream.
		Wash hands before breaks and after work.
		Cloths contaminated with product should not be kept in trouser pockets.
		Contaminated work clothing should not be allowed out of the workplace. Take off contaminated clothing and wash before reuse.
7.2	Conditions for safe storage, inclu	ding any incompatibilities
		Keep only in original container. Prevent penetration into the ground.
		Do not store together with food and animal food/diet. Do not store together with oxidizing agents.
		Keep container tightly closed. Keep in a cool place.
7.3	Specific end use(s)	
		See product use, SECTION 1.2
SEC	TION 8: Exposure controls / perso	nal protection
8.1	Control parameters	
	Ingredients with occupational exposure limits to be monitored (GB)	
		not relevant

### PNEC

ubstance
inc naphthenate, CAS: 84418-50-8
oil, 6.38 mg/kg Boden dw
ediment (seawater), 3.19 mg/kg Sediment dw
ediment (freshwater), 31.93 mg/kg Sediment dw
ewage treatment plants (STP), 147.73 μg/L
eawater, 0.64 μg/L
eshwater, 6.39 μg/L





Version 13.0. Supersedes version: 12.0 Page 4 / 11

### 8.2 Exposure controls

Additional advice on system design	Ensure adequate ventilation on workstation. Measurement methods for taking workplace measurements must meet the performance requirements of DIN EN 482. For example, recommendations are given in the IFA's list of hazardous substances.
Eye protection	If there is a risk of splashing: safety glasses (EN 166:2001)
Hand protection	The details concerned are recommendations. Please contact the glove supplier for further information. > 0.3 mm; Nitrile rubber, >480 min (EN 374-1/-2/-3).
Skin protection	light protective clothing
Other	Personal protective equipment should be selected specifically for the working place, depending on concentration and quantity handled. The resistance of this equipment to chemicals should be ascertained with the respective supplier. Avoid contact with eyes and skin.
Respiratory protection	Not required under normal conditions.
Thermal hazards	No information available.
Delimitation and monitoring of the environmental exposition	Comply with applicable environmental regulations limiting discharge to air, water and soil.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

· · · · · · · · · · · · · · · · ·	
Physical state	solid
Form	pasty
Color	black
Odor	characteristic
Odour threshold	No information available.
pH-value	not applicable
pH-value [1%]	not applicable
Boiling point [°C]	No information available.
Flash point [°C]	> 150
Flammability (solid, gas) [°C]	not applicable
Lower explosion limit	not applicable
Upper explosion limit	not applicable
Oxidising properties	none
Vapour pressure/gas pressure [kPa]	No information available.
Density [g/cm³]	< 1.0 (25 °C)
Relative density	not determined
Bulk density [kg/m³]	not applicable
Solubility in water	insoluble
Solubility other solvents	No information available.
Partition coefficient [n-octanol/water]	No information available.
Kinematic viscosity	> 22.5 mm²/s (40 °C)
Relative vapour density	No information available.
Evaporation speed	No information available.
Melting point [°C]	No information available.
Auto-ignition temperature [°C]	No information available.
Decomposition temperature [°C]	No information available.
Particle characteristics	No information available.

Date printed 08.02.2023, Revision 08.02.2023



Version 13.0. Supersedes version: 12.0 Page 5 / 11

### 9.2 Other information

Pour point: -24 Operation temperature: -30°C - +130°C

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

No dangerous reactions known if used as directed.

### 10.2 Chemical stability

Stable under normal ambient conditions (ambient temperature).

### 10.3 Possibility of hazardous reactions

Reactions with oxidizing agents.

### 10.4 Conditions to avoid

Sensitive to moisture.

### 10.5 Incompatible materials

Oxidizing agent

### **10.6 Hazardous decomposition products**

No hazardous decomposition products known.



Version 13.0. Supersedes version: 12.0 Page 6 / 11

Date printed 08.02.2023, Revision 08.02.2023

### **SECTION 11: Toxicological information**

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

### Acute oral toxicity

Product
oral, Based on the available information, the classification criteria are not fulfilled.

Substance
Zinc naphthenate, CAS: 84418-50-8
LD50, oral, Rat, > 2000 mg/kg bw

### Acute dermal toxicity

Product
dermal, Based on the available information, the classification criteria are not fulfilled.

Substance

Zinc naphthenate, CAS: 84418-50-8
LD50, dermal, Rat, > 2000 mg/kg bw

### Acute inhalational toxicity

Product inhalative, Based on the available information, the classification criteria are not fulfilled.

Substar	nce
Zinc na	aphthenate, CAS: 84418-50-8
LC50, ir	nhalative, Rat, > 0.42 mg/l/4h

#### Serious eye damage/irritation Based on the available information, the classification criteria are not fulfilled.

Substance
Zinc naphthenate, CAS: 84418-50-8
Eye, Rabbit, OECD 405, non-irritating

### Skin corrosion/irritation

Based on the available information, the classification criteria are not fulfilled.

	Sub

Substance
Zinc naphthenate, CAS: 84418-50-8
dermal, Rabbit, OECD 404, non-irritating

#### Respiratory or skin sensitisation

Based on the available information, the classification criteria are not fulfilled. May produce an allergic reaction. Calculation method

Substance
Zinc naphthenate, CAS: 84418-50-8
dermal, Guinea pig, OECD 406, sensitising

Specific target organ toxicity — single exposure Specific target organ toxicity — repeated exposure		Based on the available information, the classification criteria are not fulfilled.	
		Based on the available information, the classification criteria are not fulfilled.	
	Substance		



Date printed 08.02.2023, Revision 08.02.2023

Version 13.0. Supersedes version: 12.0 Page 7 / 11

Zinc naphthenate, CAS: 84418-50-8	
NOAEL, oral, Rat, 50 mg/kg bw/day	

Substance
Zinc naphthenate, CAS: 84418-50-8
InVivo. OECD 474, negativ
InVitro, OECD 471, negativ

### Reprod

### - Fertility

Substance	
Zinc naphthenate, CAS: 84418-50-8	
NOAEL, oral, Rat, 188 mg/kg bw/day	
NOAEL, oral, Rat, 250 mg/kg bw/day	

### - Development

Substance	
Zinc naphthen	ate, CAS: 84418-50-8
NOAEL, oral, I	Rat, 188 mg/kg bw/day
NOAEL, oral, I	Rat, 250 mg/kg bw/day
	Based on the available information, the classification criteria are not fulfilled

Carcinogenicity	Based on the available information, the classification criteria are not fulfilled.
Aspiration hazard Based on the available information, the classification criteria are not fulfilled.	
General remarks	
	Toxicological data of complete product are not available.
11.2 Information on other hazards	

Endocrine disrupting properties	No information available.
Other information	none

### **SECTION 12: Ecological information**

### 12.1 Toxicity

Product		
Based on the available information, the classification criteria are not fulfilled.		
Substance		
Zinc naphthenate, CAS: 84418-50-8		
LC50, (4d), fish, 112 - 5620 μg/L		
EC50, (4d), Algae, 18.1 - 80.5 mg/L		
EC50, (48h), Invertebrates, 155 - 20 000 µg/L		

### 12.2 Persistence and degradability

Behaviour in environment compartments	not determined
Behaviour in sewage plant	not determined
Biological degradability	not determined

Date printed 08.02.2023, Revision 08.02.2023



Version 13.0. Supersedes version: 12.0 Page 8 / 11

### 12.3 Bioaccumulative potential

No information available.

### 12.4 Mobility in soil

No information available.

### 12.5 Results of PBT and vPvB assessment

Based on all available information not to be classified as PBT or vPvB respectively.

### 12.6 Endocrine disrupting properties

No information available.

### 12.7 Other adverse effects

Ecotoxicological data are not available. Do not discharge product unmonitored into the environment or into the drainage.

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods

Waste material must be disposed of in accordance with the Directive on waste 2008/98/EC as well as other national and local regulations. It is not possible to determine a waste code for this product in accordance with the European Waste Catalogue (EWC) since it is only possible to classify it according to how it is used by the customer. The waste code is to be determined within the EU in liaison with the waste-disposal operator.

#### Product

		Coordinate disposal with the authorities if necessary. Disposal in an incineration plant in accordance with the regulations of the local authorities.
Wast	e no. (recommended)	120112* spent waxes and fats
Cont	aminated packaging	
		Uncontaminated packaging may be taken for recycling. Packaging that cannot be cleaned should be disposed of as for product.
Wast	e no. (recommended)	150110* packaging containing residues of or contaminated by hazardous substances
SECTION 14: Transport information		
14.1 UN n	umber or ID number	
Trans ADR/	sport by land according to RID	not applicable
Inlan	d navigation (ADN)	not applicable

Marine transport in accordance with not applicable IMDG

Air transport in accordance with IATA not applicable

gre Art SW	iety Data Sheet (UK REACH) (GB ease icle number 99 83 0001 /AG Autoteile GmbH 17 Wuppertal	») SV
Date	e printed 08.02.2023, Revision 08.02.2023	Version 13.0. Supersedes version: 12.0
14.2	2 UN proper shipping name Transport by land according to ADR/RID	NO DANGEROUS GOODS
	Inland navigation (ADN)	NO DANGEROUS GOODS
	Marine transport in accordance with IMDG	NOT CLASSIFIED AS "DANGEROUS GOODS"
	Air transport in accordance with IATA	NOT CLASSIFIED AS "DANGEROUS GOODS"
14.3	Transport hazard class(es) Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.4	Packing group Transport by land according to ADR/RID	not applicable
	Inland navigation (ADN)	not applicable
	Marine transport in accordance with IMDG	not applicable
	Air transport in accordance with IATA	not applicable
14.5	Environmental hazards Transport by land according to ADR/RID	no
	Inland navigation (ADN)	no
	Marine transport in accordance with IMDG	no
	Air transport in accordance with IATA	no
14.6	Special precautions for user	
	Relevant information under SECTION 6	to 8.

### 14.7 Maritime transport in bulk according to IMO instruments

not applicable

NAG®

Page 9 / 11





Version 13.0. Supersedes version: 12.0 Page 10 / 11

### SECTION 15: Regulatory information

15.1	.1 Safety, health and environmental regulations/legislation specific for the substance or mixture				
	EEC-REGULATIONS	2008/98/EC 2000/532/EC); 2010/75/EU; 2004/42/EC; (EC) 648/2004; (EC) 1907/2006 (REACH); (EU) 1272/2008; 75/324/EEC ((EC) 2016/2037); (EU) 2020/878; (EU) 2016/131; (EU) 517/2014			
	TRANSPORT-REGULATIONS	ADR (2023); IMDG-Code (2023, 41. Amdt.); IATA-DGR (2023)			
	NATIONAL REGULATIONS (GB):	EH40/2005 Workplace exposure limits (Second edition, published December 2011); UK REACH; GB CLP.			
	- Observe employment restrictions for people	no			
	- VOC (2010/75/CE)	< 3%			
15.2	Chemical safety assessment	For this product a chemical safety assessment has not been carried out.			
SEC	TION 16: Other information				
16.1	Hazard statements (SECTION 3)				
		H317 May cause an allergic skin reaction.			
		H412 Harmful to aquatic life with long lasting effects.			
16.2	Abbreviations and acronyms:				
		ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route			
		RID = Règlement concernant le transport international ferroviaire de marchandises			
		dangereuses ADN = Accord européen relatif au transport international des marchandises dangereuses par			
		voie de navigation intérieure			
		ATE = acute toxicity estimate CAS = Chemical Abstracts Service			
		CLP = Classification, Labelling and Packaging			
		DMEL = Derived Minimum Effect Level			
		DNEL = Derived No Effect Level EC50 = Median effective concentration			
		ECB = European Chemicals Bureau			
		EEC = European Economic Community EINECS = European Inventory of Existing Commercial Chemical Substances			
		EL50 = Median effective loading			
		ELINCS = European List of Notified Chemical Substances			
		EmS = Emergency Schedules GHS = Globally Harmonized System of Classification and Labelling of Chemicals			
		IATA = International Air Transport Association			
		IBC-Code = International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk			
		IC50 = Inhibition concentration, 50%			
		IMDG = International Maritime Code for Dangerous Goods IUCLID = International Uniform ChemicaL Information Database			
		IVIS = In vitro irritation score			
		LC50 = Lethal concentration, 50%			
		LD50 = Median lethal dose LC0 = lethal concentration, 0%			
		LOAEL = lowest-observed-adverse-effect level			
		LL50 = Median lethal loading LQ = Limited Quantities			
		MARPOL = International Convention for the Prevention of Marine Pollution from Ships			
		NOAEL = No Observed Adverse Effect Level NOEC = No Observed Effect Concentration			
		PBT = Persistent, Bioaccumulative and Toxic substance			
		PNEC = Predicted No-Effect Concentration			
		REACH = Registration, Evaluation, Authorisation and Restriction of Chemicals STP = Sewage Treatment Plant			
		TLV®/TWA = Threshold limit value - time-weighted average			
		TLV®STEL = Threshold limit value – short-time exposure limit VOC = Volatile Organic Compounds			
		vOC = volatile Organic Compounds vPvB = very Persistent and very Bioaccumulative			

Date printed 08.02.2023, Revision 08.02.2023



Version 13.0. Supersedes version: 12.0 Page 11 / 11

### 16.3 Other information

Classification procedure Modified position

none